WOX			
	UTAH OIL AND GAS C	ONSERVATION COMMISSION	
REMARKS: WELL LOG	ELECTRIC LOGSFILEX_WATER S	ANDSLOCATION INSPECTED	SUB. REPORT/abd
1-15-21 (4)	ornal Dermented	you gailin	* spud
DATE FILED 9=16-70			
LAND: FEE & PATENTED	STATE LEASE NO.	PUBLIC LEASE NO. U-076729	INDIAN
DRILLING APPROVED:	9-16-70		
SPUDDED IN:			
COMPLETED:	PUT TO PRODUCING:		
INITIAL PRODUCTION:		***************************************	
GRAVITY A.P.I.			- 1.70.
GOR:			
PRODUCING ZONES:			
TOTAL DEPTH:			
WELL ELEVATION:	***************************************		· · · · · · · · · · · · · · · · · · ·

16 S

25 E

Grand FEDERAL #1-12 API NO. 43-019-30059 WELL NO.

DATE ABANDONED: 3/86 San arroyo Field Extension FIELD: UNIT: COUNTY:

500 FT. FROM (N) (S) LINE, 1400 FT. FROMX(E) (W) LINE. SW SE SW 14 - 14 SEC. LOCATION RGE. SEC. OPERATOR:

SEC. TWP. RGE. **OPERATOR** TWP.

ATLANTIC RICHFIELD CO.

1-15-01 appendal Derinculated

FILE NOTATIONS

Checked by Chief Approval Letter	942-00
proapprovat retter	• • • • • • • •
cation Inspected	••••••
nd released	
State or Fee Land	•••••
GR-N Micro	
)	nd released State or Fee Land GR-N Micro

(This space for Federal or State office use)

CONDITIONS OF APPROVAL, IF ANY:

APPROVED BY

019-30059

SUBMIT IN T (Other instructions on reverse side)

UNITED STATES
DEPARTMENT OF THE INTERIOR

			AND)
Form Budget	approved Bureau	No.	42-R1425.


APPLICATIO	GEOL	OGICAL SURVEY		l	5. LEASE DESIGNATIO U-075729	- LIND DIDITION IN
	N FOR PERMIT	TO DRILL DEEP	EN OR PLUG	RACK	6. IF INDIAN, ALLOTT	EE OR TRIBE NAM
1a. TYPE OF WORK			-, ·, · · · · · · · · · ·			
b. TYPE OF WELL	RILL 🗷	DEEPEN	PLUG BA	CK 🗆	7. UNIT AGREEMENT	NAME
WELL OIL	GAS WELL OTHER		SINGLE MULTIN	PLE _	8. FARM OR LEASE N	AME
2. NAME OF OPERATOR					FEDERAL 1	-12
ATLANTIC RIC	HFIELD COMPANY				9. WELL NO.	
3. ADDRESS OF OPERATOR	-				1-12	
At Surrace	Tower Bldg., 18 Report location clearly an i00' f/South & 1			<u> </u>	Overlook 11. SEC., T., B., M., OB AND SURVEY OR	BLK.
At proposed prod. zo	one	•	•		_	
Scare 14. DISTANCE IN MILES	AND DIRECTION FROM NEA	AREST TOWN OR POST OFFIC	`E*		Section 12. COUNTY OR PARIS	-16S-25B
					_	
15. DISTANCE FROM PROP LOCATION TO NEARES PROPERTY OR LEASE	ST 1400' 1/10	HERE TIME	O. OF ACRES IN LEASE	TO THI	ACRES ASSIGNED S WELL	Utah
(Also to nearest dri 18. DISTANCE FROM PRO	lg. unit line, if any) 💢)' I/Section 7	58.48		OR CABLE TOOLS	
	DRILLING, COMPLETED,		3001	Zo. Rotani	Rotary	
21. ELEVATIONS (Show wh		TOO HOLL		<u> </u>	22. APPROX. DATE W	ORK WILL START
\$		7526 - CL	Ingraded		Dirt work -	when anni
23.		PROPOSED CASING AN		A.M.	Est drlg -	
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH		QUANTITY OF CEMI	
13-3/4	9-5/8	32.3#	300'		(Cast btan to	
	4-1/2"	209	2500		(Set if requ	dred)
5-3/4 6-3/0°	Family 2 at 1	10.5#	Total Depth	250 ax		
6-1/8" proposed to de	rill well, usin	 g air, to depth	sufficient to	test the	Dakota-Ceds	r Mountai
stion. Anticipation of the semented bottom rilling; at T. of the protect at to protect at completed. Dur C-3, Well Space lands comprise No. 107-1, while stimulation is but the stimulation of the sementer of	rill well, using ated Dakota top to top; 7" OD D., will log; ill somes; produce to topographying Requirementsing Sections 1 ich provides spater Creek State	is 6100'. 9-5 intermediate st f productive, 4 ctive sone(s) w, an exception s, is hereby res, 2, 11, 12-165 acing for Section #1, SM SW SE SW SW SECTION #1, SM SW SE SW SW SECTION #1, SM SW SECTION #1, SM SW SE SW	/8" casing will ring will be se -1/2" OD casing ill be perforat to State of Uta quested. Atlan -25%. The propose 11 & 12-168	t only if will be set, tres h Oil & tic Rich cosed loce—25E (am	at approximation required if required if necessary of the companies of the	tely 300' for continuifficient sary, and tion Comm y is the es with adm). The
emented bottom rilling; at T., at to protect a completed. Du C-3, Well Space 1 lands compris No. 107-1, whi st well is Bits 30' East from I	rill well, using ated Dakota top ato top; 7" OD D., will log; ill sones; produce to topographying Requirementsing Sections lich provides spater Creek State Bitter Creek State Bitter Creek State Bitter Greek State Data attached.	is 6100'. 9-5 intermediate at f productive, 4 ctive sone(s) w, an exception s, is hereby re, 2, 11, 12-16S acing for Section fl, SW SW SE Seate #1.	/8" casing will ring will be set -1/2" OD casing ill be perforat to State of Utaquested. Atlan -25%. The propose 11 & 12-16% ection 1-16%-25	t coly is will be set, tres h Oil & tic Rich cosed lock -25B (am E, and t	at approximation required if required if necessary of the Convervantield Companisation compliation other label proposed	cor continuifficient sary, and tion Commy is the sa with ads). The location

THE Dist. Prod'n. & Brlg Supt.

DATE

APPROVAL DATE

Company ATLANTIC RICHFIELD COMPANY
Well Name & No. Federal 1-12, Well #1-12
Location 500 feet from the South line and 1400 feet from the West line
Sec 1, T 16 _ S., R 25 _ E., S. L. M., County Grand, Utah
Ground Elevation .7526



Scale, 1 inch = 1,000 feet

Surveyed	September	9					10	70
/			 ***	 	 	 	17.	

This is to certify that the above plat was prepared from field notes of actual surveys did not the or under my supervision and that the same are true and correct to the

NO.

2611

Seal:

Ernest V. Echohawk Registered Land Surveyor

Utah Registration No. 2611

Corre En 182 Batta Cresh Alit #1 s was was Overlook Fula

September 16, 1970

Atlantic Richfield Company 501 Lincoln Tower Building Denver, Colorado 80203

> Re: U'ell No. Federal #1-12 Sec. 1, T. 16 S, R. 25 E, Grand County, Utah API No. 43-019-30059

Gentlemen:

Insofar as this office is concerned, approval to drill the above mentioned well on said unorthodox location is hereby granted in accordance with Rule C-3(c).

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

PAUL W. BURCHELL-Chief Petroleum Engineer HOME: 277-2890 OFFICE: 328-5771

This approval terminates within 90 days if the well has not been spudded-in within said period.

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (equifers) are encountered during drilling. Your co-operation with regard to completing these forms will be greatly appreciated.

Very truly yours,

DIVISION OF OIL & GAS CONSERVATION

CLEON B. FEIGHT DIRECTOR

CBF:sd

CC: U.S. Geological Survey

AB)

Branch of Oil and Gas Operations 8416 Federal Building Salt Lake City, Utah, 84111

September 17, 1970

Mr. W. A. Walther, Jr. Atlantic Richfield Company 501 Lincoln Tower Building 1860 Lincoln Street Denver, Colorado 80203

> Re: Well No. Federal 1-12 SELSWk sec. 1, T. 16 S., R. 25 E. Grand County, Utah Utah 076729

Dear Mr. Walther:

Enclosed is a copy of your Application for Permit to Drill the referenced well which was approved by this office on September 17, 1970.

I am pleased that ARCO has decided to drill this well. There should be no further question regarding drainage of the lease by the well in section 2 on State land once this well has been completed.

Your application did not include information about your proposed mud program or the type of blow out preventers to be used. Please supply this data. This information will be a standard requirement for inclusion on all future applications. Also, do you plan to use a mud logger?

Since the well will be located less than 200 feet from the boundary of a legal subdivision, would you please send a special lesse stipulation, original and two copies, similar to the following:

Atlantic Richfield Company hereby agrees that the SW\SW\k and the SE\SW\k Section 1, T. 16 S., R. 25 E., SLM, Grand County, Utah, now subject to Federal oil and gas lease Utah 076729, will not be subdivided by partial assignment until such time as the well to be located 500 feat from the South line and 1400 feat from the West line of said section 1 has been approved as plugged and abandoned by the Geological Survey.

In cases where a well is to be located less than 200 feet from the boundary of a legal subdivision, we ordinarily require that such a stipulation be of record prior to approval of the Application for Permit to Drill. However,

since the general spacing in the area is 320 acres and since the area immediately to the south of this well is included in a State spacing order specifying 320-acre spacing, I have approved your application on the assumption that you will send the stipulation as soon as possible as I am sure you are anxious to start work on the well.

Sincerely yours,

uses RY

Gerald R. Daniels,

District Engineer

cc: Casper

Utah Division of Oil & Gas

January 15, 1971

Atlantic Richfield Company 501 Lincoln Tower Building Denver, Colorado

> Re: Well No's. Federal #1-12 Sec. 1, T. 16 S, R. 25 E, Bitter Creek State #2 Sec. 2, T. 16 S, R. 25 E, Grand County, Utah

Centlemen:

Approval to drill the above mentioned wells, granted in our letters of September 16, 1970 and October 16, 1970, is hereby terminated for failure to spud-in within the time prescribed.

If and when you should decide to drill these wells, it will be necessary for you to again obtain the approval of this Division.

Very truly yours,

DIVISION OF OIL & GAS CONSERVATION

CLEON B. FEIGHT DIRECTOR

CSF:sd

cc: U.S. Geological Survey Division of State Lands